

Electric Eel®

**RENTAL
PRODUCT
CATALOG**

**THE QUALITY
LEADER IN RENTAL
RUGGED, RENTAL
PROFITABLE DRAIN
CLEANING TOOLS
BACKED WITH
INDUSTRY LEADING
SERVICE, SUPPORT
AND A NATIONWIDE
NETWORK OF SALES
REPRESENTATIVES.**

Sink Machines



Model CT

Cleans 3/4" – 2-1/2" dia. lines up to 50 ft.

The Model CT Counter Top drain cleaner with UNIQUE variable speed motor feature is more user friendly and helps keep work areas clean.

KEY FEATURES / BENEFITS

- Lightweight and compact for ease of transport and storage
- UNIQUE variable speed motor feature for maximum cable control
- Two-way auto cable feed keeps hands off rotating cable, advances and retrieves cable with push of a lever
- Cable guide hose eliminates cable whipping and helps keep work area clean
- 1/5 H.P., 90 Volt DC motor for quiet, powerful and dependable operation
- Easy-to-use air operated foot switch allows use of both hands when working with cable
- 2 position operation of well balanced steel tubular frame
- Stainless steel drum will not rust and resists denting
- Heavy-duty housing protects motor and internal wiring
- Runs 1/4", 5/16" and 3/8" dia. cable
- GFCI with 20 ft. power cord

MODEL CT STANDARD KIT (CT-5/16EIC25-AF)

- CT power unit • Auto cable feed • Guide hose • 5/16" x 25' EIC Cable



Model S

Cleans 1-1/4" – 2-1/2" dia. lines up to 35 ft.

The industry's highest quality hand held drill powered drain cleaner is ideal for smaller, inside lines such as sinks, tubs, and showers. The Model S runs 5/16" and 3/8" dia. cables up to 35 ft.

KEY FEATURES / BENEFITS

- Stainless steel cable drum won't rust, break or crack
- Cast aluminum hand guard
- Jacobs easy to tighten chuck
- Variable speed, 1/2" reversing drill with double ball bearing gear head for longer life
- Double insulated drill for shock protection
- Cables are constructed of certified music wire – all inner core cables have genuine aircraft wire inner core for longer lasting operation

MODEL S STANDARD KIT (SK-R-3/8EIC25)

- Model S machine • 3/8" x 25' Expanded end inner core cable

Sectional Cable Machines

Model C

Cleans 3" – 10" dia. lines up to 200 ft.

The original dual cable sectional drain cleaner from Electric Eel has been generating profits for nearly 5 decades in the rental industry. The Model C spins the 8 or 10 ft. cables at twice the RPM of that of a continuous cable machine for maximum cleaning power. The Model C is ideal for tougher blockages such as tree roots and for longer runs in main sewer lines.

KEY FEATURES / BENEFITS

- Safety – No handling of rotating cables
- Lower Maintenance – The sectional cables can be quickly inspected and cleaned
- Reduced Replacement Costs – Sectional cables can be replaced at a much lower cost than a 100 ft. cable
- No Down Time – You'll never miss a rental with a Model C due to a broken cable
- Ease of Transport – The Model C drive unit weighs only 72 lbs.
- If a section is ever damaged, simply set that cable aside and continue the job
- The handle folds down for easy transport and storage
- More Power – The heavy duty motor is available in 1/2 H.P. (Standard), 3/4 H.P., and 1 H.P.
- Safety Slip Clutch – Keeps tools and cable breakage to a minimum

MODEL C STANDARD KIT (CK-R-1/2-8TRS)

- 1/2 H.P. Drive Unit • (13) 8 Ft. T.R.S. Cables (104 Ft.) • SC-13 Feeding Tool • SC-18 Spanner Wrench • Set of (5) Cleaning Tools

NOTE: Optional cable containers available for transporting cables.



Open Cage Machines



Model E

Cleans 1-1/4" – 3" dia. lines up to 50 ft.

A professional quality yet affordable drain cleaner for indoor lines up to 50 ft. The Model E is a common and widely rented machine popular with homeowners. The Model E utilizes both 3/8" and 1/2" diameter cables.

KEY FEATURES / BENEFITS

- Rugged 1/3 H.P. motor
- Cord wraps for easier transport
- Rear bar to shield motor and allow for two position operation
- Inner drum to eliminate cable buckling in cage
- Built-in drum shaft slip clutch
- Heavy duty steel tubular frame
- Easy-to-use air operated foot switch allows use of both hands when working with cable
- Built-in GFCI with 20 ft. power cord
- Cast aluminum bracket with bearing supported guide tube
- Optional 2-wheel dolly
- Optional cage cover

MODEL E STANDARD KIT (EK-R-1/2IC50)

- Model E machine • Set of (3) cleaning tools
- Leather gloves • "T" wrench • Tool bag
- 1/2" x 50' Galvanized aircraft wire inner core cable



Model E Autofeed

MODEL E AUTOFEED STANDARD KIT (EK-R-1/2IC50-AF)

- 2-Way Auto Cable Feed advances and retrieves cable with the push of a lever
- Cable guide spring keeps hands off rotating cable for added safety
- Open cage for quick cable inspection and cleaning
- Built-in drum shaft slip clutch
- Steel guide tube/inner drum



Model Z5

Cleans 1-1/4" – 3" dia. lines up to 75 ft.

Fills the gap for jobs requiring a longer run in smaller drain lines.

KEY FEATURES / BENEFITS

- Built on heavy-duty steel frame with folding handle for easy storage and transport
- Totally open cable cage for easy inspection and cleaning of cable
- Wheel break stabilizes unit while in operation
- Power cord is wrapped around conveniently placed brackets for safe, problem free transport
- Easy-to-use air operated foot switch allows the use of both hands when working with cable
- Built-in drum shaft slip clutch minimizes cable and tool breakage
- Unique inner drum design eliminates cable tangling in cage
- Larger 10" wheels for better maneuverability
- Rear bar for motor protection
- Rugged 1/3 H.P. motor

MODEL Z5 STANDARD KIT (Z5K-1/2IC75)

- 1/2" x 75' Galvanized aircraft wire inner core cable
- Set of (5) cleaning tools • Leather gloves
- Z5 1/3 H.P. machine • "T" wrench • Tool bag



Model Z5 Autofeed

MODEL Z5 AUTOFEED STANDARD KIT (Z5K-1/2IC75-AF)

- 2-Way Auto Cable Feed advances and retrieves cable with the push of a lever
- Cable guide spring keeps hands off rotating cable for added safety
- Open cage for quick cable inspection and cleaning
- Steel guide tube/inner drum



Model R

Cleans 3" – 6" dia. lines up to 100 ft.

The compact Model R drain and sewer cleaning machine runs either 5/8" or 3/4" dia. inner core cable in lengths up to 100 ft. This unit is ideal in situations with limited working space. The Model R utilizes the same quick connect "snap lock" tool fittings as the Model C.

KEY FEATURES / BENEFITS

- Heavy duty 1/3 H.P. capacitor start motor
- Rugged 1-1/4" steel frame
- Removable handle for transporting and tight spaces
- Snap lock tool connectors hold tools firmly in place – no screws to come loose or rust
- Large 10" wheels for easy maneuvering
- Easy-to-use air operated foot switch allows use of both hands when working with cable
- Built-in GFCI with 20 ft. power cord
- Reinforced cable cage totally open for quick inspection and cleaning
- Runs the industry toughest inner core cable in 5/8" or 3/4" diameter

MODEL R STANDARD KIT (RK-3/4IC100)

- Model R 1/3 H.P. machine
- 3/4" x 100' inner core cable • Leather gloves
- 12" flexible leader • SC-18 Spanner Wrench
- Tool bag • Set of (4) cleaning tools



Model RF Autofeed

MODEL RF AUTOFEED STANDARD KIT (RFK-3/4IC100)

- 2-Way Auto Cable Feed advances and retrieves cable with the push of a lever
- Cable guide spring keeps hands off rotating cable for added safety
- Open cage for quick cable inspection and cleaning

Manual Units

Hande Drain Cleaner

Opens clogged sinks, lavatories, bathtubs, and shower stall drains.

- 1/4" or 5/16" Music wire cable for maximum flexibility and durability
- 1/4" Cable negotiates most bathtub crossbars
- Heavy duty steel drum holds up to 35' cable
- Convenient thumb screw locks cable securely

HANDE STANDARD KIT (HE-1/4E25)

- Hande drain cleaner with 1/4" x 25' cable




Closet Auger (CA-3A)

Removes obstructions in any type of toilet.

- 3' Music wire cable for greater flexibility
- Heavy duty zinc plated construction
- Protective tubing helps prevent marring of toilet bowl



Drain Line Tools & Accessories



DH SERIES TOOLS

For use with 5/16" IC and 3/8" IC cables

- DN-7 Drop head adapter
- DN-10 General purpose tool
- DN-11 Drill point tool
- DN-12 Finishing/Grease tool
- DN-10-S Short general purpose tool

DN SERIES TOOLS

For use with 1/2" I.C. cables and 5DN sectional cable

- DN-9 Drop head adapter
- DN-10 General purpose tool
- DN-11 Drill point tool
- DN-12 Finishing/Grease tool
- DN-13 Retriever tool
- DN-14 Drill for 2"-3" lines
- DN-15 Clean up tool for 2" lines
- DN-16 Clean up tool for 3" lines

CABLES FOR EVERY NEED

- 5 ft. Dualmatic Cables (Model N Only)
- Self-feed Dual Cables for 3"-10" lines available in regular, heavy-duty and municipal
- J Cable 6J (7/8" x 6 ft.) Dual Cable for use in 2"-3" lines (Model C Only)
- Tri-Max 3/4" or 5/8" cable with slot or keyhole end fittings to fit most drain cleaning machines
- 1/2" Aircraft Wire Reinforced Cables with front & rear fittings (available in No Core)
- Aircraft Wire Reinforced Cables (5/16" and 3/8") for use with Drop Head series tools
- Expanded End Aircraft Wire Reinforced Cables with bulb end & no rear fittings (5/16", 3/8")
- Expanded End Cables to negotiate pipe traps & drain cross bars (1/4", 5/16", 3/8")

*Spartan, Ridgid, General Wire Spring are trademarked names.

T.R.S. Cables (Tool Rental Special)

These cables have a larger diameter wire in the outer cable which is coiled to a closer pitch than the standard dual cables. The self-feeding action is slower than the standard cable and they are more flexible, making them ideal for tool rental use.

Available in 8 Ft. or 10 Ft. sections:


- 8TRS (8 Ft. Regular TRS Cable)
- 10TRS (10 Ft. Regular TRS Cable)

NOTE: Above also available in "Heavy Duty" (5/8" inner cable).




Mainline Tools & Accessories

All tools & accessories listed below are compatible with Electric Eel Models C, D-5, R, RF, 325, 800 and work with 8' and 10' dual cables (all types) and 5/8" and 3/4" continuous cables.



INITIAL OPENING TOOLS

- A-1DC 1 7/8" Diameter for 3" or larger pipeline
- A-2DC 2 3/8" Diameter for 4" or larger pipeline
- A-2-3DC 3" Diameter for 4" or larger pipeline
- A-2-3DCS 3" Ice chopping tool for 4" or larger pipelines
- HDD-2T 2 3/8" Spear point on 12" flexible spring for 4" or larger pipeline



HEAVY-DUTY ROOT SAW TOOLS

- HDD-3S For 3" pipeline
- HDD-4S For 4" pipeline
- HDD-5S For 6" pipeline
- HDD-7S For 8" pipeline



GREASE TOOLS

- U-3 For 3" pipeline (also available in Heavy duty)
- U-4 For 4" pipeline (also available in Heavy duty)
- U-6 For 6" pipeline (also available in Heavy duty)
- U-4H Heavier duty for 4" pipelines
- UC3 For 3" pipeline



FLEXIBLE SPRING TOOLS

- HDD-U3 12" Spring with U3 blade for 3" pipeline
- HDD-U4 12" Spring with U4 or HD blade for 4" pipeline




EXPANSION TOOLS

- EX-4A For 3" - 4" lines
- EX-6A For 4" - 6" Lines
- EX-8A For 6" - 8" lines




SLUDGE BUSTER TOOLS

- HDD-3S-P 2 3/8" Heavy duty sludge pusher for 3" pipelines
- HDD-4S-P 3" Heavy duty sludge pusher for 4" pipelines
- HDD-4S-31/2-P 3 1/2" Heavy duty sludge pusher for 4" lines
- HDD-5S-P 5" Heavy duty sludge pusher for 6" lines




FINISHING TOOLS

- A-14DC 3 1/2" Diameter tool for 4" or larger pipelines
- A-6ADC 5" Diameter for 6" or larger pipelines
- A-13DC For 4" conductor lines
- A-13-2DC For 3" conductor lines
- HDD-6 "S" Shaped for 6" lines
- HDD-8 "S" Shaped for 8" lines
- HDD-10 "S" Shaped for 10" lines
- HDD-12 "S" Shaped for 12" lines
- ST-2 Bulb shaped tool for 4" plastic pipeline



RETRIEVING TOOLS

- HDD-7 3" Tool for retrieving objects from pipeline
- HDD-2A Longer, thinner right hand wound retriever
- ST-1 Right hand wound retrieving tool



ACCESSORIES

- SC-13 Feeding tool for use on "P" traps
- SC-16 Torque wrench adapter
- SC-17 Swivel cable puller for threading cable through pipeline
- SC-18 Spanner wrench for disconnecting cables/tools
- SC-19 Drop head adapter - provides swivel joint between cleaning tool and cable

JETTERS

EJ-1500 Electric Jetter

Cleans 1-1/2" – 4" dia. lines up to 100 ft.

The EJ-1500 electric jetter is ideal for cleaning grease, sand, soap and sludge from small drain lines. Perfect preventative maintenance tool for restaurants, hospitals, schools and professional maintenance applications.

KEY FEATURES / BENEFITS

- 1500 PSI / 1.7 GPM
- 1.5 H.P., 15 AMP motor
- Duplex pump w/pulsation
- Reel capacity 150 Ft. of 1/4" hose
- Pump/Motor assembly removes in seconds for added portability
- Sturdy 10" pneumatic tires for ease of transport
- Thermal relief valve and inlet shut off valve
- Removable handle/reel on cart assembly
- Utilizes 1/8" and 1/4" dia. jet hose
- 20 Ft. power cord w/GFCI

EJ-1500 STANDARD KIT (EJ-1500C)

- Pump / Motor assembly on cart with (2) pneumatic tires
- Tool bag and rubber gloves • 1/8" nozzle set • 1/4" nozzle set
- 1/4" x 100' drain hose • 1/8" x 50' hose assembly



EJ-3000 Gas Jetter

Cleans 2" – 8" dia. lines up to 300 ft.

The EJ-3000 gas jetter has a 13HP overhead valve engine, throttle back control that automatically adjusts engine speed, and low tone muffler for smooth quiet running and dependable operation. The 2-to-1 gear reduced triplex pump with pulsation ensures a longer life.

KEY FEATURES / BENEFITS

- 3000 PSI / 4.7 GPM
- 13 HP Overhead valve engine for smooth quiet running and dependable operation – [Electric Start Available](#)
- 2-to-1 Gear reduced triplex pump with pulsation for longer life
- 300 Ft. capacity hose reel
- 12" Pneumatic tires for easy maneuverability on rugged steel base with front bar for motor protection
- Heat shield to protect hose
- Convenient Nozzle Storage on unit
- Throttle back control automatically adjusts engine speed.
- Low tone muffler for quiet operation
- Utilizes 1/4" and 3/8" dia. jet hose

EJ-3000 STANDARD KIT (EJ-3000C)

- Pump / Motor assembly on cart with (2) pneumatic tires
- Tool bag and rubber gloves • 1/8" nozzle set • 1/4" nozzle set
- 1/4" x 100' drain hose • 1/8" x 50' hose assembly



Cart Reel

Additional lightweight cart reel for easy transportation of jetter hoses. Move the handle up for transport and down for fitting in tight spaces. (Hose is not included.)

EJ-3000 CART REEL (3000-CTR)

- Heavy duty base • 2 x 8" Wheels • Adjustable handle • 300 ft. Capacity
- Lightweight • 1/8" x 50' hose assembly

INSPECTION CAMERAS

EELvision ELITE

For use in 3" – 14" dia. lines up to 200 ft.

The EELvision Elite features a 1.3" diameter self-leveling color camera for inspecting 3"-10" diameter lines with vivid adjustable LED lights and a large 7" monitor for easy viewing. A sunshield allows for outdoor viewing and protects the monitor in transport.

KEY FEATURES / BENEFITS

- 200' of ½" diameter premium push rod
- On screen footage counter
- Continuous display odometer
- One touch recording to USB and screen shot capability
- Extended ergonomic handle to facilitate maneuverability and transport
- Heavy duty metal frame and wheels
- Reel brake
- User friendly control panel
- Quick start guide tutorial prompts
- QR code for manual and support accessibility
- Built-in always on sonde
- Dual power sources - AC and battery
- **Makita battery port (battery not included)**
- **Also accepts both Milwaukee and DeWalt with provided adapter**



EELvision VIEW

Cleans 3" – 14" dia. lines up to 200 ft.

The EELvision View features a 1.3" diameter self-leveling color camera and a large 7" monitor for easy viewing. A sunshield allows for outdoor viewing and protects the monitor in transport.

KEY FEATURES / BENEFITS

- 200' of ½" diameter premium push rod
- Built-in always on sonde
- On screen footage counter and continuous display odometer
- Extended ergonomic handle for easy maneuverability and transport
- Heavy duty metal frame and wheels
- Reel brake
- Makita battery port (battery not included)
- **Provided adapter also accepts Milwaukee and Dewalt batteries**
- QR code for manual and support accessibility



EELTrack Locator

Precision locating with 512HZ/60HZ along with constant depth readout and current measurements. Powered by 6 "C" batteries (batteries included) and has a 4 year warranty with product registration. The EELTrack locator is simple, accurate and affordable. Made for professionals but easy for anyone to locate with.

Electric Eel Products LLC

501 W. Leffel Lane • Springfield, OH 45506

Call Toll Free: (800) 833-1212

937-323-4644 • Fax: 937-323-3767

www.electriceel.com

